

CAPRINE DIAGNOSTIC PLANS/PANELS



Cornell University
College of Veterinary Medicine
Animal Health Diagnostic Center

Post Office: P.O. Box 5786
607-253-3900 (telephone)
607-253-3935 (telephone, shipping)
607-253-3943 (fax)
diagcenter@cornell.edu
<http://ahdc.vet.cornell.edu/>

The following diagnostic plans have been developed primarily as an **educational** tool to assist the veterinarian in designing a complete, although not exhaustive, diagnostic strategy. To encourage veterinarians to select only the tests that are deemed clinically appropriate in each situation, the price of the diagnostic plan is not discounted from the sum of the individual test costs. **Superscript numbers match the individual tests to the sample needed.** For the test groupings labeled as panels, there may be a discounted price versus the costs of the individual tests. Diagnostic plans and panels can be requested by writing the complete name as the test request. If appropriate samples are included all tests will be performed.

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
Caprine Abortion Fetal Tissue Diagnostic Plan	<p>(3) Aerobic bacterial cultures¹ Listeria included (1 sensitivity included); Bovine Virus Diarrhea Virus (BVDV) FA²; Bovine Virus Diarrhea Virus (BVDV) SN, Type 1³ and Type 2⁴; Campylobacter jejuni culture⁵; (2) Campylobacter fetus (Vibrio) FAs⁶; Chlamydophila FA⁷; Chlamydophila PCR⁸; Histopathology⁹; (2) Leptospira PCRs¹⁰; Toxoplasma FA¹¹; Toxoplasma gondii IgG ELISA¹²; Virus isolation¹³</p> <p>May also want to consider adding Selenium to fetal liver especially if stillbirths and/or neonatal deaths are involved.</p>	<p>\$631.75</p> <p>Testing may qualify for N.Y State contract case subsidy.</p>	<p>Fresh tissue^{1,2,5,6,7,8,10,11,13}: lung, placenta including cotyledons, abomasal contents, kidney, liver, heart, adrenal, skin, heart blood^{3,4,12} in sterile red top tube AND Formalin fixed tissue⁹: placenta, liver, lung, brain, adrenal, heart, thymus, small intestine, kidney, fetal skin. SHIP FRESH TISSUE CHILLED AND PROTECT FIXED TISSUE FROM FREEZING. Kit is available. See Ruminant Abortion Kit for more complete instructions. If full necropsy desired, see Necropsy Testing.</p>

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually. Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test. Each accession will be charged the standard AHDC accession fee. Prices may change without notice.
* indicates test performed at a referral laboratory

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
Caprine Abortion Serology Panel + Selenium	Bovine Virus Diarrhea Virus (BVDV) SN, Type 1¹ and Type 2² ; Brucella Card Agglutination³ ; Caprine Herpesvirus SN⁴ ; Chlamydoiphila CF⁵ ; Leptospira MAT, 5 standard serovar⁶ ; Selenium, whole blood⁷ ; Toxoplasma gondii IgG ELISA⁸	\$124.00 single \$220.00 paired (1 selenium) Testing may qualify for N.Y State contract case subsidy.	Maternal serum^{1,2,3,4,5,6,8} (separated) and maternal EDTA whole blood⁷ (LTT) . SHIP CHILLED . When acute and convalescent samples are/will be collected, for most serology assays they should always be tested in parallel, and paired results interpreted. If acute samples are submitted alone please indicated if all tests should be performed. If second, convalescent samples are later submitted, tests on both samples will be run in parallel and fees for both samples will be charged. To avoid testing acute samples twice, hold and submit with convalescent samples. If convalescent samples will not be collected, or when infectious abortion is strongly suspected due to history, immediate testing of acute sample may be warranted.
Caprine Diarrhea Diagnostic Plan	Fecal quantitative¹ ; Johne's AGID² ; Salmonella culture³ (no sensitivity included) Johne's Culture, Non-Bovine on fresh feces may also be warranted. The lag time for culture is 12-16 weeks although positive samples may be shorter. In neonatal kids an Aerobic bacterial culture and a Rotavirus Latex Antigen Detection, Group A on feces should also be considered.	\$54.50 Testing may qualify for N.Y State contract case subsidy.	Fresh Feces^{1,3} in leak-proof container (20 g) and serum (separated) ² . One fecal sample³ (1 g, fill to line on container but do not overfill) can be put in ParaPak [®] transport media to assist with Salmonella recovery. ParaPak[®] transport media is available . SHIP CHILLED, EXCEPT FOR PARAPAK[®] WHICH SHOULD BE KEPT AT ROOM TEMPERATURE.

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually. Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test. Each accession will be charged the standard AHDC accession fee. Prices may change without notice.
* indicates test performed at a referral laboratory

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
<p>Caprine Neurologic Diagnostic Plan</p> <p>PLEASE STRONGLY CONSIDER RABIES TESTING AT YOUR STATE HEALTH DEPARTMENT</p>	<p>Aerobic bacterial culture¹; Histopathology²; Lead, blood or Lead, tissue³; Listeria culture⁴</p> <p>May also want to consider Cerebrospinal Fluid Cytology which requires CSF in EDTA tube (LTT) and (2) air dried slides of CSF. Protect slides from formalin exposure.</p> <p>If whole head is submitted a rabies brain extraction fee will be applied. Please submit completed NYS rabies specimen history form and write out clear instructions on what additional diagnostic tests should be performed.</p>	<p>\$219.50 - \$229.50</p> <p>Testing may qualify for N.Y State contract case subsidy.</p>	<p>CSF¹ sample taken using sterile technique and placed in sterile red top tube +/- (1) swab¹ inoculated with CSF, OR (1) swab¹ of meninges prior to contamination and placed in aerobic transport media (Amies with charcoal), fresh brain (preferably brainstem)⁴ placed in sterile container, EDTA or Heparin whole blood³ (LTT or GTT) or fresh liver³ in sterile container, full set of fixed tissues² placed in formalin, including multiple sections of brain and spinal cord. SHIP CHILLED AND PROTECT FIXED TISSUE FROM FREEZING. PLEASE INDICATE IF RABIES TESTING IS PENDING. See Tissues for Rabies Diagnosis for photos of brain samples needed for rabies testing.</p>
Coagulation Panel, Large Animal	aPTT ; PT ; Fibrinogen (Clauss method)	\$42.50	2 ml separated citrate plasma in plastic or siliconized glass tube (blue top and then separated and transferred). SHIP CHILLED.
Dermatology Diagnostic Plans			
Deep lesion	<p>Aerobic bacterial culture¹ (1 sensitivity included); Biopsy for parasite exam²; Fungal culture³; Gram stain⁴; Histopathology (biopsy)⁵</p>	<p>Deep lesion: \$233.00</p> <p>Testing may qualify for N.Y State contract case subsidy.</p>	<p><u>Deep lesion:</u> (2) fresh skin biopsies^{1,2,3,4} in plain RTT with 0.5 ml sterile saline to keep moist (not wet) +/- swab^{1,3} from deep in tissue placed in aerobic transport media (Amies with charcoal), multiple formalin fixed skin biopsies⁵. SHIP CHILLED AND PROTECT FIXED TISSUE FROM FREEZING.</p>
Superficial lesion	<p>Fungal culture³; Gram stain⁴; Histopathology (biopsy)⁵; Skin scraping for ectoparasite identification⁶; Cytology⁷</p> <p>All skin biopsy submissions should be accompanied by a Dermatohistopathology Submission Form. For additional guidance refer to Dermatopathology Sampling Guide.</p>	<p>Superficial lesion: \$213.00</p> <p>Testing may qualify for N.Y State contract case subsidy.</p>	<p><u>Superficial lesion:</u> (1) hair and skin scraping^{3,4} for fungal culture and gram stain sent in a sealable paper envelope, (1) skin scraping⁶ for ectoparasite identification in an escape proof, non-porous container, (2) impression smears/skin scrapings/fluid aspirates⁷ for cytology placed on glass slides and air dried, and multiple formalin fixed skin biopsies⁵. No aerobic culture is included in the superficial plan. SHIP AT ROOM TEMPERATURE AND PROTECT FROM TEMPERATURE EXTREMES.</p>

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually. Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test. Each accession will be charged the standard AHDC accession fee. Prices may change without notice.
* indicates test performed at a referral laboratory

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
<i>Fever of Unknown Origin Diagnostic Plan</i>	(3) Blood cultures, aerobic/fungal ¹ (1 sensitivity included); (3) Blood cultures, anaerobic ² ; Fibrinogen (heat-precipitated) ³ ; Hemogram, routine (CBC) ⁴ (examination for blood parasites included); (2) Virus isolations ⁵ (nasal, whole blood) If case is chronic, virus isolation can be omitted if desired, see comment to right. If not already performed a large animal chemistry panel may be warranted and serum or heparinized plasma (separated from a green top tube), would need to be submitted.	\$335.00 Chronic case with no virus isolation: \$265.00 Testing may qualify for N.Y State contract case subsidy.	(3) Inoculated aerobic/fungal blood culture bottles ¹ , (3) inoculated anaerobic blood culture bottles ² , nasal swab ⁵ in 0.5 ml saline to keep moist (not wet), (2) tubes EDTA whole blood ^{3,4,5} (LTT), and (2) air dried blood smears ⁴ . SHIP CHILLED EXCEPT FOR SLIDES AND BLOOD CULTURE BOTTLES, WHICH ARE SHIPPED AT ROOM TEMPERATURE. See Blood Culture Technique for more information. To order blood culture bottles go to shipping services or call 607.253.3935. It may be helpful to collect and bank a serum sample for possible acute and convalescent serology. This diagnostic plan is designed to detect a broad spectrum of systemic bacterial, viral, and some blood parasite causes of acute fever of unknown origin, as well as certain inflammatory changes which may assist in determining the underlying problems. Viral causes of illness are best detected acutely and most are unlikely to be detected in a patient with a chronic fever of unknown origin. This plan is intended to be used as an adjunct to targeted, disease-specific testing appropriate to the species, clinical history and geographic location or conditions. See <i>Small Animal Internal Medicine</i> , 5 th Edition, 2014, Nelson RW and Couto CG; Chapter 88: Fever of Unknown Origin , pages 1279-1282 for other ideas of testing.
<i>Large Animal Basic Workup</i>	Fibrinogen (heat-precipitated) ¹ ; Hemogram, routine (CBC) ² ; Large animal chemistry panel ³	\$105.00	EDTA whole blood ^{1,2} (LTT), (2) air dried blood smears ² , and serum ³ (separated) or heparinized plasma ³ (separated from a green top tube). SHIP CHILLED EXCEPT FOR SLIDES WHICH SHOULD BE KEPT AT ROOM TEMPERATURE.
<i>Large Animal Liver Panel</i>	AST ; SDH ; GGT ; GLDH ; Total/Direct/Indirect Bilirubin ; Total Protein ; Albumin ; Globulin ; A/G Ratio ; CK ; Triglycerides	\$25.00	Serum (separated) or heparinized plasma (separated from a green top tube). SHIP CHILLED
<i>Large Animal Renal Panel</i>	Na ; K ; Cl ; Bicarb ; Anion gap ; Urea ; Creatinine ; Albumin ; Ca ; P	\$28.00	Serum (separated) or heparinized plasma (separated from a green top tube). SHIP CHILLED

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually. Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test. Each accession will be charged the standard AHDC accession fee. Prices may change without notice.
* indicates test performed at a referral laboratory

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
Small Ruminant/Camelid Pinkeye Diagnostic Plan	Aerobic bacterial culture ¹ ; Chlamydomphila PCR ² ; Mycoplasma culture ³	\$103.75 Testing may qualify for N.Y State contract case subsidy.	Conjunctival swab ^{1,3} in aerobic transport media (Amies w/out charcoal), conjunctival swab ² in sterile tube with 0.5 ml saline to keep moist (not wet). SHIP CHILLED.
Small Ruminant Respiratory (Acute) Diagnostic Plan	Aerobic bacterial culture ¹ (1 sensitivity included); Bovine Respiratory Syncytial Virus (BRSV) FA ² ; Chlamydomphila PCR ³ ; Cytology ⁴ ; Fibrinogen (heat-precipitated) ⁵ ; Hemogram, routine (CBC) ⁶ ; Histopathology ⁷ ; Field Necropsy Surcharge ⁷ ; Mycoplasma Culture ⁸ ; Virus Isolation ⁹ Testing for evidence of lungworms, quantitative fecal may be warranted depending on season. Also selenium on an EDTA whole blood sample or liver (Selenium, tissue) and vitamin E on a serum sample (separated) may be appropriate in some situations. Limited serology testing is available but paired acute and convalescent serum samples for BRSV SN may be warranted in acute disease episodes.	\$329.75 (ante mortem samples) \$349.25 (full set of necropsy samples) Testing may qualify for N.Y State contract case subsidy.	Ante mortem samples: transtracheal wash (TTW) (preferred sample) or bronchial alveolar lavage (BAL) fluid in RTT ^{1,2,3,8,9} (alternatively can use viral transport media), and in EDTA tube ⁴ (LTT), (2) air dried slides ⁴ of fluid, (1) swab inoculated with sample ^{1,8} placed in aerobic transport media (Amies w/o charcoal), EDTA whole blood ^{5,6} (LTT), and (2) air dried blood smears ⁶ . SHIP CHILLED EXCEPT FOR SLIDES WHICH SHOULD BE KEPT AT ROOM TEMPERATURE. See Transtracheal Wash Procedure for more information. It may be helpful to collect and bank a serum sample for possible acute and convalescent serology. [Nasal or pharyngeal swabs ^{3,9} are only appropriate for virus isolation and PCR. Submit in viral transport media or a RTT with a 0.5 ml sterile saline for virus isolation and PCR. SHIP CHILLED] Necropsy samples: Section of fresh lung ^{1,2,3,8,9} +/- (1) swab inoculated with sample ^{1,7} and placed in aerobic transport media (Amies w/o charcoal) and full set of tissues ⁷ placed in formalin. SHIP FRESH TISSUE AND SWAB CHILLED AND PROTECT FIXED TISSUE FROM FREEZING.

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually. Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test. Each accession will be charged the standard AHDC accession fee. Prices may change without notice.
* indicates test performed at a referral laboratory