

FELINE DIAGNOSTIC PLANS/PANELS



Cornell University
College of Veterinary Medicine
Animal Health Diagnostic Center

Post Office: P.O. Box 5786
607-253-3900 (telephone)
607-253-3935 (telephone, shipping)
607-253-3943 (fax)
diagcenter@cornell.edu
<http://ahdc.vet.cornell.edu/>

The following diagnostic plans have been developed primarily as an **educational** tool to assist the veterinarian in designing a complete, although not exhaustive, diagnostic strategy. To encourage veterinarians to select only the tests that are deemed clinically appropriate in each situation, the price of the diagnostic plan is not discounted from the sum of the individual test costs. Superscript numbers match the individual tests to the sample needed. It is assumed in the majority of the diagnostic plans that **baseline tests such as an automated CBC, chemistry panel and urinalysis may have already been performed and therefore are not included.** For the test groupings labeled as panels, there may be a discounted price versus the costs of the individual tests. Diagnostic plans and panels can be requested by writing the complete name as the test request. If appropriate samples are included all tests will be performed.

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
<u>Coagulation Panel + Fibrinogen</u>	<u>aPTT; Fibrinogen (Clauss method); PT; TCT</u>	\$34.00	2 ml separated citrate plasma in plastic or siliconized glass tube (blue top and then separated and transferred). SHIP CHILLED.
<u>Coagulation Panel, Small Animals</u>	<u>aPTT; PT; TCT</u>	\$27.25	2 ml separated citrate plasma in plastic or siliconized glass tube (blue top and then separated and transferred). SHIP CHILLED.
<u>DIC Panel, Small Animal</u>	<u>aPTT; Fibrinogen (Clauss method); PT; Antithrombin; D-dimer</u>	\$88.50	2 ml separated citrate plasma in plastic or siliconized glass tube (blue top and then separated and transferred). SHIP CHILLED.
<u>Dermatology Diagnostic Plan</u>	<u>Acid fast stain¹; Aerobic bacterial culture² (1 sensitivity included); Biopsy for parasite exam³; Fungal culture⁴; Gram stain⁵; Histopathology (biopsy)⁶</u>	Deep lesion: \$243.00	<u>Deep lesion:</u> (2) fresh skin biopsies^{1,2,3,4,5} in plain RTT with 0.5 ml sterile saline to keep moist (not wet) +/- swab^{2,4} from deep in tissue placed in aerobic transport media (Amies with charcoal), multiple formalin fixed skin biopsies⁶ . SHIP CHILLED AND PROTECT FIXED TISSUE FROM FREEZING.
<u>Deep lesion</u>	<u>Fungal culture⁴; Gram stain⁵; Histopathology (biopsy)⁶; Skin scraping for ectoparasite identification⁷; Cytology⁸</u>	Superficial lesion: \$213.00	<u>Superficial lesion:</u> (1) hair and skin scraping^{4,5} for fungal culture and gram stain sent in a sealable paper envelope, (1) skin scraping⁷ for ectoparasite identification in an escape proof, non-porous container, (2) impression smears/skin scrapings/fluid aspirates⁸ for cytology placed on glass slides and air dried, and multiple formalin fixed skin biopsies⁶ . No aerobic culture is included in the superficial plan. SHIP AT ROOM TEMPERATURE AND PROTECT FROM TEMPERATURE EXTREMES. PROTECT SLIDES FROM FORMALIN EXPOSURE.
<u>Superficial lesion</u>	All skin biopsy submissions should be accompanied by a <u>Dermatohistopathology Submission Form</u> . For additional guidance refer to <u>Dermatopathology Sampling Guide</u> .		

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually.

Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test.

Each accession will be charged the standard AHDC accession fee. Prices may change without notice.

* indicates test performed at a referral laboratory

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
<i>Feline Abortion/Fading Kitten Tissue Diagnostic Plan</i>	<p>(3) Aerobic bacterial cultures¹ (1 sensitivity included); Feline Herpes virus (FHV) FA²; Feline Parvovirus (Panleukopenia) FA³; Histopathology⁴; Field Necropsy Surcharge⁴; Virus isolation⁵</p> <p>In rare circumstances may also want to add Leptospira real-time PCR</p>	\$390.50 per kitten	<p>Fresh tissue^{1,2,3,5}: lung, placenta, stomach contents, kidney, liver, heart, adrenal, skin, heart blood in sterile red top tube AND</p> <p>Formalin fixed tissue⁴: placenta, liver, lung, brain, adrenal, heart, thymus, small intestine, kidney, fetal skin. SHIP FRESH TISSUE CHILLED AND PROTECT FIXED TISSUE FROM FREEZING. KIT AVAILABLE. See Field Necropsy Kit for more instructions and details on sampling procedure and technique. If full necropsy desired, see Necropsy Testing</p>
<i>Feline Abortion/Fading Kitten Serology Diagnostic Plan</i>	<p>Feline blood typing¹; Feline Herpes virus (FHV) (Rhinitracheitis) SN²; Feline Parvovirus (Panleukopenia) HI³</p> <p>If not previously performed a Feline Leukemia Virus (FeLV) ELISA and a Feline Immunodeficiency Virus (FIV) kinetic ELISA may be warranted.</p>	<p>\$62.75 single</p> <p>\$95.75 paired (1 feline blood typing)</p>	<p>Maternal EDTA whole blood¹ (LTT), maternal serum^{2,3} (separated). SHIP CHILLED.</p> <p>When acute and convalescent samples are/will be collected, for most serology assays they should always be tested in parallel, and paired results interpreted. If acute samples are submitted alone, all tests will be performed. If second, convalescent samples are later submitted, tests on both samples will be run in parallel and fees for both samples will be charged. To avoid testing acute samples twice, hold and submit with convalescent samples. If convalescent samples will not be collected, or when infectious abortion is strongly suspected due to history, immediate testing of acute sample may be warranted.</p>

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually.

Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test.

Each accession will be charged the standard AHDC accession fee. Prices may change without notice.

* indicates test performed at a referral laboratory

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
<u>Feline combination: FeLV/FCoV/FIV/Toxo</u>	<u>Feline Leukemia Virus (FeLV) ELISA</u> ; <u>Feline Coronavirus (FCoV) kinetic ELISA</u> ; <u>Feline immunodeficiency virus (FIV) kinetic ELISA</u> ; <u>Feline Toxoplasmosis ELISA</u>	\$83.50	2 ml serum (separated). SHIP CHILLED . (Other panel combinations available, see test and fee manual)
<u>Feline Diarrhea Diagnostic Plan</u>	<p><u>Campylobacter jejuni culture</u>¹; <u>Cryptosporidium ELISA</u>²; <u>Fecal qualitative exam</u>³; <u>Feline Enteric Coronavirus/FIP PCR</u>⁴; <u>Giardia ELISA</u>⁵; <u>Salmonella culture</u>⁶ (1 sensitivity included); <u>Thyroid panel</u>: [<u>Ft4 by dialysis</u>, <u>T4</u>, <u>T3</u>]⁷; <u>Tritrichomonas fecal exam</u>⁸; <u>Virus isolation</u>⁹; <u>Vitamin B12 (Cobalamin) and Folate (Folic Acid) combination</u>¹⁰</p> <p>[<u>Feline enteric coronavirus FA</u>¹¹; <u>Feline Parvovirus (Panleukopenia) FA</u>¹²; <u>Histopathology</u>¹³ <u>Field Necropsy Surcharge</u>¹³ can be added if necropsy samples are included]</p> <p>In kittens less than 10 days of age an <u>Aerobic bacterial culture</u> on feces should also be considered.</p>	<p>\$358.25 (ante mortem samples)</p> <p>\$433.75 (full set of necropsy samples)</p>	<p>Ante mortem samples: Fresh feces^{1,2,3,4,5,6,9} in leak-proof container (20g), fecal swab^{1,6} in aerobic transport media (Amies with charcoal), fecal swab⁸ in tritrichomonas In-pouch[®] and serum^{7,10} (separated). One fecal sample⁶ (1 g, fill to line on container but do not overfill) can be put in transport media to assist with Salmonella recovery. (In-pouch[®] and ParaPak[®] can be ordered through <u>shipping services</u> at 607.253.3935). SHIP CHILLED EXCEPT FOR PARAPAK[®] AND In-Pouch[®] WHICH SHOULD BE KEPT AT ROOM TEMPERATURE.</p> <p>Necropsy Samples: Tied off loop of bowel with contents^{1,4,6,9,11,12} (fresh), fresh feces or colon contents^{1,2,3,4,5,6,9} (10g), fecal swab^{1,6} in aerobic transport media (Amies with charcoal), fecal swab⁸ in tritrichomonas In-Pouch[®], full set of tissues¹³ placed in formalin including multiple sections of intestinal tract. SHIP CHILLED EXCEPT FOR PARAPAK[®] AND In-Pouch[®] WHICH SHOULD BE KEPT AT ROOM TEMPERATURE. PROTECT FIXED TISSUE FROM FREEZING.</p>

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually.

Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test.

Each accession will be charged the standard AHDC accession fee. Prices may change without notice.

* indicates test performed at a referral laboratory

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
<i>Feline Infectious Respiratory Diagnostic Plan</i>	<p>Aerobic bacterial culture¹ (1 sensitivity included); Chlamydophila FA²; Cytology³; Feline Calicivirus (FCV) FA⁴; Feline Herpesvirus (FHV) FA⁵; Feline Parvovirus (Panleukopenia) FA⁶; Histopathology⁷; Field Necropsy⁷; Surcharge⁷; Mycoplasma culture⁸; Virus isolation⁹</p> <p>Testing for evidence of lungworms, qualitative fecal (\$25.00) and a consideration of heartworm testing may also be indicated. Please request separately and submit fresh feces (10 g) for fecal. SHIP CHILLED.</p>	<p>\$311.00 (ante mortem samples)</p> <p>\$387.50 (full set of necropsy samples)</p>	<p>Ante mortem samples: transtracheal wash (TTW)(preferred sample) or bronchial alveolar lavage (BAL) fluid in RTT^{1,2,4,5,6,8,9}, in EDTA tube³ (LTT) and (2) air dried slides³ of fluid, (1) swab inoculated with sample^{1,8} placed in aerobic transport media (Amies w/o charcoal). Nasal or pharyngeal swabs⁹ in viral transport media or a RTT with 0.5 ml sterile saline AND also in aerobic transport media (Amies w/o charcoal)^{1,8}. SHIP CHILLED EXCEPT FOR SLIDES. PROTECT SLIDES FROM FORMALIN EXPOSURE.</p> <p>TTW fluid is a superior sample for detection of significant bacterial pathogens causing lower airway disease. Results of nasal or pharyngeal swab cultures must be interpreted with caution as many bacterial organisms may be present as normal commensals in the upper respiratory tract.</p> <p>It may be helpful to collect and bank a serum sample for acute and convalescent serology.</p>
<i>Feline Liver Function/Porto-systemic Shunt Panel</i>	<p>Bile acids (fasting panel)¹; Bile acids (post-prandial panel)²; Protein C³; Small animal chemistry panel⁴</p>	\$138.75	<p>Serum^{1,2,4} (separated), citrate plasma³ in plastic or siliconized glass tube (blue top and then separated and transferred). SHIP CHILLED.</p> <p>Pre-prandial bile acid sampling should be done before the animal is fed at their routine meal time (e.g. morning), and the post-prandial sample drawn 2 hours later. If only one sample can be collected, the post-prandial sample is preferred.</p>

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually.

Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test.

Each accession will be charged the standard AHDC accession fee. Prices may change without notice.

* indicates test performed at a referral laboratory

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
<p>Feline Neurologic Tissue Panel</p> <p>PLEASE STRONGLY CONSIDER RABIES TESTING AT YOUR STATE HEALTH DEPARTMENT</p>	<p>Aerobic bacterial culture¹; (2)Cryptococcus antigen serology²; Fungal culture³; Histopathology⁴; Toxic heavy metal screen⁵; Virus isolation⁶; West Nile Virus (WNV)</p> <p>PCR⁷</p> <p>May also want to consider Cerebrospinal Fluid Cytology which requires CSF in EDTA tube (LTT) and (2) air dried slides of CSF. Protect slides from formalin exposure.</p> <p>In exotic cats Canine Distemper Virus (CDV) FA⁸ may be warranted</p>	\$432.50	<p>CSF sample^{1,2,3,6,7} taken using sterile technique and placed in sterile red top tube +/- (1) swab^{1,3} inoculated with CSF and placed in aerobic transport media (Amies with charcoal), fresh brain^{1,3,6,7,8} placed in sterile container, serum² (separated) or heart blood² in red top tube,</p> <p>fresh liver⁵ in sterile container, full set of fixed tissues⁴ including multiple sections of brain and spinal cord. SHIP CHILLED AND PROTECT FIXED TISSUE FROM FREEZING. PLEASE INDICATE IF RABIES TESTING IS PENDING. See Tissues for Rabies Diagnosis for photos of brain samples needed for rabies testing.</p>
Feline Vaccine Panel 1	Feline Herpesvirus (FHV) (Rhinothacheitis) SN ; Feline Parvovirus (Panleukopenia) HI	\$33.00	2 ml serum (separated). SHIP CHILLED.
Feline Vaccine Panel 2	Feline Herpesvirus (FHV) (Rhinothacheitis) SN ; Feline Parvovirus (Panleukopenia) HI ; Feline Calicivirus (FCV) SN	\$49.50	3 ml serum (separated). SHIP CHILLED.
Feline Vaccine Panel 3	Feline Parvovirus (Panleukopenia) HI ; Feline Calicivirus (FCV) SN	\$33.00	2 ml serum (separated). SHIP CHILLED.

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually. Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test. Each accession will be charged the standard AHDC accession fee. Prices may change without notice.
* indicates test performed at a referral laboratory

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
<i>Fever of Unknown Origin Diagnostic Plan</i>	<p>(3) Blood culture, aerobic/fungal¹ (1 sensitivity included); (3) Blood culture, anaerobic²; Fibrinogen (heat-precipitated)³; Hemogram, routine (CBC)⁴ (examination for blood parasites included); (2) Virus isolations⁵ (nasal, whole blood)</p> <p>If case is chronic, virus isolation can be omitted if desired, see comment to right. If not previously performed a Feline Leukemia Virus (FeLV) ELISA, a Feline Immunodeficiency virus (FIV) kinetic ELISA, and a small animal chemistry panel may be warranted and a serum sample would be needed. Consider serum Electrophoresis if elevated globulins on chemistry panel.</p>	<p>\$336.00</p> <p>Chronic case with no virus isolation</p> <p>\$266.00</p>	<p>(3) inoculated aerobic/fungal blood culture bottles¹, (3) inoculated anaerobic blood culture bottles², nasal swab⁵ in 0.5 ml saline to keep moist (not wet), (2) tubes EDTA whole blood^{3,4,5} (LTT), (2) air dried blood smears⁴. SHIP CHILLED EXCEPT FOR BLOOD CULTURE BOTTLES AND SLIDES WHICH ARE SHIPPED AT ROOM TEMPERATURE. See Blood Culture Technique for more information. To order blood culture bottles go to shipping services or call 607.253.3935. It may be helpful to collect and bank a serum sample for possible acute and convalescent serology.</p> <p>This diagnostic plan is designed to detect a broad spectrum of systemic bacterial, viral, and some blood parasite causes of acute fever of unknown origin, as well as certain inflammatory changes which may assist in determining the underlying problems. Viral causes of illness are best detected acutely and most are unlikely to be detected in a patient with a chronic fever of unknown origin. This plan is intended to be used as an adjunct to targeted, disease-specific testing appropriate to the species, clinical history and geographic location or conditions. For more information, please see Small Animal Internal Medicine, 5th Edition, 2014, Nelson RW and Couto CG; Chapter 88: Fever of Unknown Origin, pages 1279-1282.</p>
<i>Fungal Serology Panel</i>	Aspergillus antibody ¹ ; Blastomyces antibody ² ; Coccidioides antibody ³ ; Cryptococcus antigen ⁴ ; Histoplasma antibody ⁵	\$64.00	1-2 ml serum ^{1,2,3,4,5} (separated). (Cerebrospinal Fluid ⁴ only valid for Cryptococcus antigen test). SHIP CHILLED.
<i>Hemophilia Panel, Small Animal</i>	aPTT ; PT ; TCT ; Factor VIII:C ; Factor IX:C ; vWF:Ag	\$69.75	2-3 ml separated citrate plasma in plastic or siliconized glass tube (blue top and then separated and transferred). SHIP CHILLED.
<i>Hemostasis Panel, Small Animal</i>	aPTT ; PT ; TCT ; vWF:Ag	\$44.50	2-3 ml separated citrate plasma in plastic or siliconized glass tube (blue top and then separated and transferred). SHIP CHILLED.

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually.

Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test.

Each accession will be charged the standard AHDC accession fee. Prices may change without notice.

* indicates test performed at a referral laboratory

LTT – Lavender Top Tube

RTT – Red Top Tube

DIAGNOSTIC PLAN/PANEL	TESTS PERFORMED	PRICES	SAMPLES NEEDED
<u>Mineral Panel (Tissue, Feed)</u>	<u>Ca; P; Mg; Na; K; Cu; Fe; Mn; Zn; Mo</u>	\$47.00	Submit 2 grams of tissue or 100g of feed . This is done primarily for copper (Cu), iron (Fe), and zinc (Zn) but the other elements are reported as well. SHIP TISSUE CHILLED.
<u>Thyroid Panel, Feline:FT4d, T4, T3, TSH</u>	<u>FT4 (dialysis); T4; T3; TSH</u>	\$62.00	2-2.5 ml serum (separated) from plain red top collection tube, with no additives and no serum separator tubes. SHIP CHILLED. (Other panel combinations available, see test and fee manual)

Other small animal panels available in the Clinical Pathology section (see Test and Fee Schedule for alphabetical listing or use hyperlink provided here):

- [Electrolytes Panel](#)
- [Electrolytes Panel, urine](#)
- [Iron Panel \(chemistry\)](#)
- [Mineral/Electrolytes Panel](#)
- [Mineral/Electrolytes Panel, urine](#)
- [Mineral Panel, urine](#)
- [Pre-Anesthesia Panel](#)
- [Small Animal Chemistry Panel](#)
- [Small Animal Liver Panel](#)
- [Small Animal Renal Panel](#)
- [Total Protein Creatinine Panel](#)
- [Total Protein Panel](#)

Diagnostic Plans/Panels can be ordered by writing the complete plan/panel name. The tests are also available individually.

Numbers in parentheses are quantity of tests. Superscript numbers match necessary samples to specific test.

Each accession will be charged the standard AHDC accession fee. Prices may change without notice.

* indicates test performed at a referral laboratory